			,	· · · · · · · · · · · · · · · · · · ·
L Number	Hits	Search Text	DB	Time stamp
_	6	((cap adj2 file\$1) and (smart adj2 card))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/09 16:10
-	5	(Java same (cap adj2 file\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14
_	14072	(subscrib\$4 or Java or smart) adj3 (card\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 10:23
-	54	(class near3 loader\$4) and ((Java adj class) near3 file\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14
_	141	("16-bit" or "8-bit") near3 (instruction\$1 adj2 (set or architecture))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 10:38
_	5	(Java and (cap adj file\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 10:56
	760	"16-bit" adj3 (processor or architecture)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/14 10:56
-	2490	<pre>(smart adj card\$1) near2 (computer\$1 or architecture\$1 or processor\$1 or device\$1 or program\$5)</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 11:05
_	15	("16-bit" adj3 (processor or architecture)) and (smart adj2 card\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 11:03
-	17332736	@ad<=19990202 or @rlfd<=19990202	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/15 08:43
-	7785	((subscrib\$4 or Java or smart) adj3 (card\$1)) and (@ad<=19990202 or @rlfd<=19990202)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 11:05
_	7836	(((subscrib\$4 or Java or smart) adj3 (card\$1)) and (@ad<=19990202 or @rlfd<=19990202)) or ((class near3 loader\$4) and ((Java adj class) near3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 11:05
-	1276	file\$1)) ((((subscrib\$4 or Java or smart) adj3 (card\$1)) and (@ad<=19990202 or @rlfd<=19990202)) or ((class near3 loader\$4) and ((Java adj class) near3 file\$1))) and ((smart adj card\$1) near2 (computer\$1 or architecture\$1 or processor\$1 or device\$1 or program\$5))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 11:06

Page 1

-	961	(type or pointer) adj2 safe	USPAT; US-PGPUB;	2003/01/14 11:09
			EPO; JPO;	11.03
			DERWENT;	
			IBM TDB	
l _	1572	(object adj oriented) and ((class or	USPAT;	2003/01/14
	13/2	interface or array) adj2 type)	US-PGPUB;	11:12
		interface of array, adjz type,	EPO; JPO;	11.12
1		·		
	1		DERWENT;	
	44	//time or neinter) adi2 cafe) and	IBM_TDB	2002 (01 (14
_	""	((type or pointer) adj2 safe) and ((object adj oriented) and ((class or	USPAT;	2003/01/14
1			US-PGPUB;	11:13
	1	interface or array) adj2 type))	EPO; JPO;	
	1		DERWENT;	
	1	// 7 11 1 2 2 210 517 412 1	IBM_TDB	
-	4		USPAT;	2003/01/14
		(((((subscrib\$4 or Java or smart) adj3	US-PGPUB;	11:15
1]	(card\$1)) and (@ad<=19990202 or	EPO; JPO;	<u> </u>
	1	@rlfd<=19990202)) or ((class near3	DERWENT;	
	1	loader\$4) and ((Java adj class) near3	IBM_TDB	
		file\$1))) and ((smart adj card\$1) near2		!
1		(computer\$1 or architecture\$1 or		
1		<pre>processor\$1 or device\$1 or program\$5)))</pre>		
_	6	Garney.in. and (smart adj card)	USPAT;	2003/01/14
	İ		US-PGPUB;	12:03
			EPO; JPO;	i
			DERWENT;	ļ
			IBM TDB	
-	12	Baentsch.in. and (smart adj card)	USPAT;	2003/01/14
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	12:06
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	8	(Baentsch.in. and (smart adj card)) and	USPAT;	2003/01/14
1		(smart adj card).ab.	US-PGPUB;	13:24
		(Smare adj Cara, ab.	EPO; JPO;	13.24
			DERWENT;	1
			IBM TDB	
l _	13	(((convert\$4 adj2 applet) or CAP) adj2	USPAT;	2003/01/14
	15	file\$1) and class\$3	US-PGPUB;	13:30
		illevi, and Classys	EPO; JPO;	13:30
1				
			DERWENT;	
l _	3	(((convert\$4 adj2 applet) or ".CAP" or	IBM_TDB	0000 (01 (14
		".cap") adj2 file\$1) and class\$3	USPAT;	2003/01/14
		•cap / aujz iiieşi/ and Class\$3	US-PGPUB;	13:33
			EPO; JPO;	
]			DERWENT;	
_	6	 Schwabe.in. and (virtual adj machine)	IBM_TDB	2002/01/14
1	9	Sonwabe.in. and (Virtual adj machine)	USPAT;	2003/01/14
			US-PGPUB;	13:33
			EPO; JPO;	
			DERWENT;	
	_	(Coheraha da and () to 3 at a second	IBM_TDB	/ /
-	2	(Schwabe.in. and (virtual adj machine))	USPAT;	2003/01/14
		and (@ad<=19990202 or @rlfd<=19990202)	US-PGPUB;	13:40
			EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
-	2	6092147.URPN.	USPAT	2003/01/14
				13:35
-	4	(chen.in. and (code near8 validation))	USPAT	2003/01/14
		and @pn<>" "		13:40
-	2	((chen.in. and (code near8 validation))	USPAT;	2003/01/14
		and @pn<>" ") and (@ad<=19990202 or	US-PGPUB;	13:57
		@rlfd<=19990202)	EPO; JPO;	
]		DERWENT;	
			IBM TDB	1
-	23	5996076.URPN.	USPAT	2003/01/14
	[13:44

Γ-	48	((constant adj pool) near3 (indic\$3 or	USPAT;	2003/01/14
		index)) and (Java or (class\$3 near5	US-PGPUB;	13:57
		load\$4))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
l _	35	(((constant adj pool) near3 (indic\$3 or	USPAT;	2003/01/14
		index)) and (Java or (class\$3 near5	US-PGPUB;	14:03
	1	load\$4))) and (@ad<=19990202 or	EPO; JPO;	11.00
	İ	@rlfd<=19990202)	DERWENT;	
			IBM TDB	
l _	1	((((constant adj pool) near3 (indic\$3 or	USPAT;	2003/01/14
_		index)) and (Java or (class\$3 near5	US-PGPUB;	13:58
			· · · · · · · · · · · · · · · · · · ·	13:36
		load\$4))) and (@ad<=19990202 or	EPO; JPO;	
		@rlfd<=19990202)) and ((((convert\$4 adj2	DERWENT;	
		applet) or CAP) adj2 file\$1) and class\$3)	IBM_TDB	
		or (smart adj card\$1))		/
-	2	5999732.URPN.	USPAT	2003/01/14
				13:59
-	5		USPAT;	2003/01/14
		index)) and (Java or (class\$3 near5	US-PGPUB;	14:04
		load\$4))) and (@ad<=19990202 or	EPO; JPO;	
		@rlfd<=19990202)) and (download\$4 near4	DERWENT;	[
		(software or program))	IBM_TDB	
-	4	Baentsch.in. and (constant adj pool)	USPAT;	2003/01/14
			US-PGPUB;	16:18
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	4	(Beantsch or Buhler or oestreicher).in.	USPAT;	2003/01/15
		and (constant adj pool)	US-PGPUB;	08:40
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	17	(smart adj card) and (constant adj pool)	USPAT;	2003/01/15
ļ	1		US-PGPUB;	08:52
	1		EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	5	((smart adj card) and (constant adj	USPAT;	2003/01/15
		pool)) and (@ad<=19990202 or	US-PGPUB;	08:51
		pool)	EPO; JPO;	*****
		GIIIU\-133302021	DERWENT;	
1	1	1	IBM_TDB	

-	57	((US-4587612-\$ or US-5650948-\$ or	USPAT;	2003/01/15
		US-5634118-\$ or US-5619666-\$ or	US-PGPUB;	08:51
		US-5577233-\$ or US-5574927-\$ or	EPO; JPO;	
		US-5542059-\$ or US-5535329-\$ or	DERWENT;	
		US-5490256-\$ or US-5481684-\$ or	IBM TDB	
		US-5430862-\$ or US-5355460-\$ or		
		US-5335344-\$ or US-5333296-\$ or		
1		US-5313614-\$ or US-5241636-\$ or		
		US-5218711-\$ or US-5201056-\$ or		
		US-5193180-\$ or US-5163139-\$ or		
		US-5142681-\$ or US-5136696-\$ or		
		US-5113522-\$ or US-5077657-\$ or		
1		US-4961141-\$ or US-4860191-\$).did. or		
	1	(US-4783738-\$ or US-4763255-\$ or		Į
		US-4631663-\$ or US-6131144-\$ or		ĺ
		US-6026485-\$ or US-6021469-\$ or		
		US-5999731-\$ or US-5983334-\$ or		
		US-5953741-\$ or US-5937193-\$ or		
		US-5923892-\$ or US-5903761-\$ or		
		US-5898885-\$ or US-5898850-\$ or		
		US-5889996-\$ or US-5875336-\$ or		
		US-5838165-\$ or US-5809336-\$ or		
		US-5794068-\$ or US-5784584-\$ or		
		US-5781750-\$ or US-5778178-\$ or		
		US-5774868-\$ or US-5768593-\$ or		·
		US-5764908-\$ or US-5761477-\$ or		
		US-5692170-\$).did. or (US-5659703-\$ or		
		US-6209077-\$ or US-6167488-\$ or		
	1	US-6158048-\$).did.) and (@ad<=19990202 or		
	_ [@rlfd<=19990202)	l	
-	5	(((US-4587612-\$ or US-5650948-\$ or	USPAT;	2003/01/15
		US-5634118-\$ or US-5619666-\$ or	US-PGPUB;	08:52
		US-5577233-\$ or US-5574927-\$ or	EPO; JPO;	
		US-5542059-\$ or US-5535329-\$ or	DERWENT;	
		US-5490256-\$ or US-5481684-\$ or	IBM_TDB	
	i l	US-5430862-\$ or US-5355460-\$ or		
		US-5335344-\$ or US-5333296-\$ or	1	
		US-5313614-\$ or US-5241636-\$ or		
		US-5218711-\$ or US-5201056-\$ or	,	
		US-5193180-\$ or US-5163139-\$ or		
		US-5142681-\$ or US-5136696-\$ or		
		US-5113522-\$ or US-5077657-\$ or US-4961141-\$ or US-4860191-\$).did. or		
		(US-4783738-\$ or US-4763255-\$ or US-4631663-\$ or US-6131144-\$ or		
		US-6026485-\$ or US-6021469-\$ or US-5999731-\$ or US-5983334-\$ or		
		US-5953741-\$ or US-5937193-\$ or		
		US-5923892-\$ or US-5903761-\$ or		
		US-5898885-\$ or US-5898850-\$ or		
		US-5889996-\$ or US-5875336-\$ or		
		US-5838165-\$ or US-5809336-\$ or		
		US-5794068-\$ or US-5784584-\$ or		
		US-5781750-\$ or US-5778178-\$ or		
		US-5774868-\$ or US-5768593-\$ or		
1				
		US-5764908-\$ or US-5761477-\$ or US-5692170-\$).did. or (US-5659703-\$ or		
		· · · · · · · · · · · · · · · · · · ·		
		US-6209077-\$ or US-6167488-\$ or		
]		US-6158048-\$).did.) and (@ad<=19990202 or		
		<pre>@rlfd<=19990202)) and ((smart adj card) or (senstant adj neel))</pre>		
	ı	or (constant adj pool))		

-	29	(US-6366876-\$ or US-6363523-\$ or US-6308317-\$ or US-6282522-\$ or US-6236909-\$ or US-6005942-\$ or US-5844218-\$ or US-5757918-\$ or US-5742845-\$ or US-6092147-\$ or US-5740441-\$ or US-6081850-\$ or US-5822784-\$ or US-6279030-\$ or US-5996076-\$ or US-6260187-\$ or US-6081665-\$ or US-6332215-\$ or US-6311165-\$ or US-6253215-\$ or US-6061520-\$ or US-6026485-\$ or	USPAT; US-PGPUB; EPO; DERWENT	2003/01/15 08:56
_	5	US-5999731-\$).did. or (US-20020059475-\$ or US-20020198837-\$).did. or (US-272607-\$ or US-9949392-\$).did. or (US-6272607-\$ or EP-964361-\$ or EP-964370-\$).did. ((US-6366876-\$ or US-6363523-\$ or US-6308317-\$ or US-6282522-\$ or US-6236909-\$ or US-6005942-\$ or US-5844218-\$ or US-5757918-\$ or US-5742845-\$ or US-6092147-\$ or US-5740441-\$ or US-6081850-\$ or US-5822784-\$ or US-6279030-\$ or US-5996076-\$ or US-6260187-\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 08:56
	3	US-6081665-\$ or US-6332215-\$ or US-6311165-\$ or US-6253215-\$ or US-6061520-\$ or US-6026485-\$ or US-5999731-\$).did. or (US-20020059475-\$ or US-20020198837-\$).did. or (WO-9949392-\$).did. or (US-6272607-\$ or EP-964361-\$ or EP-964370-\$).did.) and ((smart adj card) and (constant adj pool)) (((smart adj card) and (constant adj pool)) and (@ad<=19990202 or @rlfd<=19990202)) not ((Sun adj Microsystems).as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/15 10:57
	29	(US-6366876-\$ or US-6363523-\$ or US-6308317-\$ or US-6282522-\$ or US-6236909-\$ or US-6005942-\$ or US-5844218-\$ or US-5757918-\$ or US-5742845-\$ or US-6092147-\$ or US-5740441-\$ or US-6081850-\$ or US-5822784-\$ or US-6279030-\$ or US-5996076-\$ or US-6260187-\$ or US-6081665-\$ or US-6332215-\$ or US-6311165-\$ or US-6253215-\$ or US-6311165-\$ or US-6253215-\$ or US-6061520-\$ or US-6253215-\$ or US-5999731-\$).did. or (US-20020059475-\$ or US-20020198837-\$).did. or (US-6272607-\$ or US-9949392-\$).did. or (US-6272607-\$ or US-964361-\$ or US-964370-\$).did.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT	2003/01/15 11:55
-	3	· ·	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 12:35

-	3	((US-6366876-\$ or US-6363523-\$ or US-6308317-\$ or US-6282522-\$ or	USPAT; US-PGPUB;	2003/01/15
		US-6236909-\$ or US-6005942-\$ or	EPO; JPO;	2000
		US-5844218-\$ or US-5757918-\$ or	DERWENT;	
İ		US-5742845-\$ or US-6092147-\$ or	IBM TDB	
		US-5740441-\$ or US-6081850-\$ or	_	
		US-5822784-\$ or US-6279030-\$ or		
		US-5996076-\$ or US-6260187-\$ or	1	
;		US-6081665-\$ or US-6332215-\$ or		
		US-6311165-\$ or US-6253215-\$ or		
		US-6061520-\$ or US-6026485-\$ or		
		US-5999731-\$).did. or (US-20020059475-\$		
		or US-20020198837-\$).did. or		
		(WO-9949392-\$).did. or (US-6272607-\$ or		
	}	EP-964361-\$ or EP-964370-\$).did.) and		
		((((smart adj card) and (constant adj pool)) and (@ad<=19990202 or		
		0 0 0 0 0 0 0 0 0 0		
		Microsystems).as.))		
_	2		USPAT;	2003/01/15
	_	US-6308317-\$ or US-6282522-\$ or	US-PGPUB;	11:37
1	I	US-6236909-\$ or US-6005942-\$ or	EPO; JPO;	
		US-5844218-\$ or US-5757918-\$ or	DERWENT;	
		US-5742845-\$ or US-6092147-\$ or	IBM_TDB	1
		US-5740441-\$ or US-6081850-\$ or	_	
		US-5822784-\$ or US-6279030-\$ or		
		US-5996076-\$ or US-6260187-\$ or		
		US-6081665-\$ or US-6332215-\$ or		
]	US-6311165-\$ or US-6253215-\$ or		
	İ	US-6061520-\$ or US-6026485-\$ or US-5999731-\$).did. or (US-20020059475-\$		
		or US-20020198837-\$).did. or		
		(WO-9949392-\$).did. or (US-6272607-\$ or		
	:	EP-964361-\$ or EP-964370-\$).did.) and		
		("16-bit" adj2 (instruction or		
		architecture or bus or computer or		
		platform or microprocess\$5 or integer\$1))		
-	1	Schlumberger.as. and (JVM same card\$1)	USPAT;	2003/01/15
			US-PGPUB;	11:10
			EPO; JPO;	
			DERWENT;	
	126		IBM_TDB	2002/01/15
-	136	, ,	USPAT;	2003/01/15
	1	card\$1)	US-PGPUB; EPO; JPO;	11:10
			DERWENT;	
			IBM TDB	
_	4	((US-6366876-\$ or US-6363523-\$ or	USPAT;	2003/01/15
		US-6308317-\$ or US-6282522-\$ or	US-PGPUB;	11:13
		US-6236909-\$ or US-6005942-\$ or	EPO; JPO;	
		US-5844218-\$ or US-5757918-\$ or	DERWENT;	
		US-5742845-\$ or US-6092147-\$ or	IBM_TDB	
		US-5740441-\$ or US-6081850-\$ or		
		US-5822784-\$ or US-6279030-\$ or		
		US-5996076-\$ or US-6260187-\$ or		
1		US-6081665-\$ or US-6332215-\$ or		
		US-6311165-\$ or US-6253215-\$ or		
		US-6061520-\$ or US-6026485-\$ or US-5999731-\$).did. or (US-20020059475-\$]	
1		or US-20020198837-\$).did. or		
		(WO-9949392-\$).did. or (US-6272607-\$ or		
l		EP-964361-\$ or EP-964370-\$).did.) and		
		("16-bit")		
-	268	,	USPAT;	2003/01/15
		architecture or microcontroller\$1 or DSP	US-PGPUB;	11:40
		or (portable adj3 device\$1))) and	EPO; JPO;	
		(download\$4 and (integrat\$4 or embedd\$4))	DERWENT;	
I			IBM TDB	1

-	72	(("16-bit" near5 (instruction\$1 or	USPAT;	2003/01/15
		architecture or microcontroller\$1 or DSP	US-PGPUB;	11:41
		or (portable adj3 device\$1))) and	EPO; JPO;	
		(download\$4 and (integrat\$4 or	DERWENT;	
i		embedd\$4))) and ("16-bit" adj4	IBM TDB	
		(microcontroller\$1 or DSP or (portable	1511_155	1
		adj3 device\$1)))		
			***************************************	2002/01/15
-	54	((("16-bit" near5 (instruction\$1 or	USPAT;	2003/01/15
		architecture or microcontroller\$1 or DSP	US-PGPUB;	11:46
1		or (portable adj3 device\$1))) and	EPO; JPO;	
		(download\$4 and (integrat\$4 or	DERWENT;	
		embedd\$4))) and ("16-bit" adj4	IBM TDB	
		(microcontroller\$1 or DSP or (portable	_	
		adj3 device\$1)))) and ((@ad<=19990202 or		
		@rlfd<=19990202) not ((Sun adj		
	1	Microsystems).as.))		\$
		(((("16-bit" near5 (instruction\$1 or	HCDAM.	2002/01/15
1 -	"		USPAT;	2003/01/15
		architecture or microcontroller\$1 or DSP	US-PGPUB;	11:44
		or (portable adj3 device\$1))) and	EPO; JPO;	
		(download\$4 and (integrat\$4 or	DERWENT;	
	i	embedd\$4))) and ("16-bit" adj4	IBM_TDB	
		(microcontroller\$1 or DSP or (portable	-	}
		adj3 device\$1)))) and ((@ad<=19990202 or		
		@rlfd<=19990202) not ((Sun adj		
		Microsystems).as.))) and ((byte adj		
		code or JVM or (applet\$1) or Java)		
1_	_	"16-bit" near3 ((smart or (integrated	USPAT;	2003/01/15
-	•			1
		adj circuit) or ID or wallet\$1) adj2	US-PGPUB;	11:56
İ		card\$1)	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	3	("16-bit" near3 ((smart or (integrated	USPAT;	2003/01/15
		adj circuit) or ID or wallet\$1) adj2	US-PGPUB;	11:46
1		card\$1)) and ((@ad<=19990202 or	EPO; JPO;	
		@rlfd<=19990202) not ((Sun adj	DERWENT;	
		Microsystems).as.))	IBM TDB	
1_	10		USPAT	2003/01/15
	10		USFAL	11:52
	2637	// in adi2 line(1) mage/ /data an	TICDAM.	
-	2637		USPAT;	2003/01/15
		operation\$1 or instruction\$1))	US-PGPUB;	17:35
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2507	(717/108,115-118,136-167,174-178).CCLS.	USPAT;	2003/01/16
			US-PGPUB;	13:15
			EPO; JPO;	İ
			DERWENT;	
			IBM TDB	
_	1	((inlin\$4 adj2 (data\$1 or operand\$1))	USPAT;	2003/07/09
		near6 instruction\$1) and (constant adj	US-PGPUB;	16:21
		pool\$1)	EPO; JPO;	19.21
		POOTAT)		
			DERWENT;	
	_	115	IBM_TDB	0000/05/00
	0	((transform\$4 or convert\$4) near3	USPAT;	2003/07/09
1		(reference\$1 near5 (constant adj	US-PGPUB;	16:22
		pool\$1))) same (instruction\$1 near3	EPO; JPO;	
		inlin\$3)	DERWENT;	
			IBM TDB	
-	0	((inlin\$4 adj2 operand\$1) near6	USPAT;	2004/05/14
		instruction\$1) and (constant adj pool\$1)	US-PGPUB;	15:40
			EPO; JPO;	
			DERWENT;	
	_	//=====================================	IBM_TDB	2004/05/34
-	1	((inlin\$4 adj2 data) near7 (operand\$1 or	USPAT;	2004/05/14
		instruction\$1)) and (constant adj pool\$1)	US-PGPUB;	16:16
			EPO; JPO;	
			DERWENT;	
L			IBM_TDB	

			•	
-	8	(("6272674") or ("6349344") or ("6195700") or ("6399820")).PN.	USPAT; US-PGPUB;	2004/05/14 16:17
		(0130700) 01 (0333020)	EPO; JPO;	10.17
			DERWENT;	
			IBM_TDB	
-	31	(US-6260187-\$ or US-6081665-\$ or	USPAT;	2004/05/14
-		US-6061520-\$ or US-6026485-\$ or	US-PGPUB;	17:05
	1	US-6253215-\$ or US-6332215-\$ or US-5999731-\$ or US-6279030-\$ or	EPO;	
		US-5740441-\$ or US-6366876-\$ or	DERWENT	
		US-6363523-\$ or US-6311165-\$ or		
		US-6308317-\$ or US-6282522-\$ or		
		US-6236909-\$ or US-6005942-\$ or		
		US-5923884-\$ or US-5844218-\$ or		
		US-5757918-\$ or US-5742845-\$ or		
		US-5724279-\$ or US-6081850-\$ or		
		US-5822784-\$ or US-6092147-\$ or US-5996076-\$).did. or (US-20020059475-\$		1
		or US-20020198837-\$).did. or		1
		(WO-9949392-\$).did. or (US-6272607-\$ or		
		EP-964361-\$ or EP-964370-\$).did.		
-	22	,,	USPAT;	2004/05/14
		US-6061520-\$ or US-6026485-\$ or	US-PGPUB;	17:06
		US-6253215-\$ or US-6332215-\$ or	EPO; JPO;	
		US-5999731-\$ or US-6279030-\$ or US-5740441-\$ or US-6366876-\$ or	DERWENT;	
		US-6363523-\$ or US-6311165-\$ or	IBM_TDB	
		US-6308317-\$ or US-6282522-\$ or		
		US-6236909-\$ or US-6005942-\$ or		
		US-5923884-\$ or US-5844218-\$ or		
		US-5757918-\$ or US-5742845-\$ or		
		US-5724279-\$ or US-6081850-\$ or		
		US-5822784-\$ or US-6092147-\$ or US-5996076-\$).did. or (US-20020059475-\$		
		or US-20020198837-\$).did. or		
		(WO-9949392-\$).did. or (US-6272607-\$ or		
		EP-964361-\$ or EP-964370-\$).did.) and		
		(smart adj2 card)		
-	4	• • • • • • • • • • • • • • • • • • • •	USPAT;	2004/05/14
		US-6061520-\$ or US-6026485-\$ or	US-PGPUB;	17:07
		US-6253215-\$ or US-6332215-\$ or US-5999731-\$ or US-6279030-\$ or	EPO; JPO;	
		US-5740441-\$ or US-6366876-\$ or	DERWENT; IBM TDB	
		US-6363523-\$ or US-6311165-\$ or	1211_122	
		US-6308317-\$ or US-6282522-\$ or		
		US-6236909-\$ or US-6005942-\$ or		
		US-5923884-\$ or US-5844218-\$ or		
		US-5757918-\$ or US-5742845-\$ or		
		US-5724279-\$ or US-6081850-\$ or US-5822784-\$ or US-6092147-\$ or		
		US-5996076-\$).did. or (US-20020059475-\$		
,		or US-20020198837-\$).did. or		
		(WO-9949392-\$).did. or (US-6272607-\$ or		
		EP-964361-\$ or EP-964370-\$).did.) and		
		(smart adj2 card)) and (class adj file)		
		and (constant adj2 pool)	1	

-	3	((((US-6260187-\$ or US-6081665-\$ or	USPAT;	2004/05/14
		US-6061520-\$ or US-6026485-\$ or	US-PGPUB;	17:08
	1	US-6253215-\$ or US-6332215-\$ or	EPO; JPO;	
1	ł	US-5999731-\$ or US-6279030-\$ or	DERWENT;	
		US-5740441-\$ or US-6366876-\$ or	IBM TDB	
		US-6363523-\$ or US-6311165-\$ or		
		US-6308317-\$ or US-6282522-\$ or		i i
		US-6236909-\$ or US-6005942-\$ or		
		US-5923884-\$ or US-5844218-\$ or		
		US-5757918-\$ or US-5742845-\$ or		
		US-5724279-\$ or US-6081850-\$ or]
				1
		US-5822784-\$ or US-6092147-\$ or		ł I
		US-5996076-\$).did. or (US-20020059475-\$		
		or US-20020198837-\$).did. or		
		(WO-9949392-\$).did. or (US-6272607-\$ or		
		EP-964361-\$ or EP-964370-\$).did.) and		1
	}	(smart adj2 card)) and (class adj file)		
		and (constant adj2 pool)) and		i i
		(@ad<=19990202 or @rlad<=19990202)		
-	4	(USPAT;	2004/05/15
		and (class adj file) and (convert\$4	US-PGPUB;	12:33
		near4 (byte code)) and (8-bit or 16-bit	EPO; JPO;	
		or 32-bit)	DERWENT;	
			IBM_TDB	
-	2	((Smart adj card) and (constant adj	USPAT;	2004/05/15
		pool) and (class adj file) and (US-PGPUB;	14:44
	1	convert\$4 near4 (byte code)) and (8-bit	EPO; JPO;	<u> </u>
		or 16-bit or 32-bit)) and (@ad<=19990202	DERWENT;	!
	1	or @rlad<=19990202) not ((Sun adj	IBM TDB	
		Microsystems).as.)	_	i
_	14	(16-bit near2 architecture) same	USPAT;	2004/05/15
		(embedded near3 (microcontroller or	US-PGPUB;	14:51
		processor or DSP))	EPO; JPO;	
Ì		F	DERWENT;	
ŀ			IBM TDB	
_	1	((16-bit near2 architecture) same	USPAT;	2004/05/15
	1 *	(embedded near3 (microcontroller or	US-PGPUB;	14:52
		processor or DSP))) and (@ad<=19990202 or	EPO; JPO;	11.32
		@rlad<=19990202) not ((Sun adj	DERWENT;	
		Microsystems).as.)	IBM TDB	. !
_	2		USPAT;	2004/05/15
		(0,425,005).pii.	US-PGPUB;	14:50
			1	14.50
			EPO; JPO; DERWENT;	
			1	
_	_	/16.bit noon? anabitaatuma\	IBM_TDB	2004/05/15
-	0		USPAT;	2004/05/15
		((6,425,003).pn.)	US-PGPUB;	14:48
			EPO; JPO;	
			DERWENT;	
	2	/6 501 206) nn	IBM_TDB	2004/05/15
-	2	(6,581,206).pn.	USPAT;	2004/05/15
			US-PGPUB;	14:50
			EPO; JPO;	
1			DERWENT;	
1		46.34	IBM_TDB	
-	16	l ,	USPAT;	2004/05/15
		((embedded near3 (microcontroller or	US-PGPUB;	15:07
		processor or DSP)) or "smart card" or	EPO; JPO;	
		"credit card")	DERWENT;	
			IBM_TDB	
-	2	((16-bit near2 architecture) same	USPAT;	2004/05/15
		((embedded near3 (microcontroller or	US-PGPUB;	15:24
		processor or DSP)) or "smart card" or	EPO; JPO;	
		"credit card")) and (@ad<=19990202 or	DERWENT;	
		@rlad<=19990202) not ((Sun adj	IBM TDB	
		Microsystems).as.)	_	
-	71	(16-bit near2 (architecture or	USPAT;	2004/05/15
		microcontroller)) and ((embedded near3	US-PGPUB;	15:20
		(processor or DSP)) or "smart card" or	EPO; JPO;	
1		"credit card")	DERWENT;	
		,	IBM TDB	
		<u> </u>		L

Search History 5/15/04 4:48:21 PM Page 9

-	30	((16-bit near2 (architecture or	USPAT;	2004/05/15
		microcontroller)) and ((embedded near3	US-PGPUB;	15:16
		(processor or DSP)) or "smart card" or	EPO; JPO;	
		"credit card")) and (@ad<=19990202 or	DERWENT;	
		@rlad<=19990202) not ((Sun adj	IBM TDB	
į		Microsystems).as.)	-	
_	23	(((16-bit near2 (architecture or	USPAT;	2004/05/15
		microcontroller)) and ((embedded near3	US-PGPUB;	15:17
		(processor or DSP)) or "smart card" or	EPO; JPO;	====
		"credit card")) and (@ad<=19990202 or	DERWENT;	
		@rlad<=19990202) not ((Sun adj	IBM TDB	
	1	Microsystems).as.)) and ((smart or Java	1511_155	
		or credit or personal) adj2 card)		
	8		USPAT;	2004/05/15
-	•			15:22
		microcontroller or smartcard)) and	US-PGPUB;	15:22
		((((16-bit near2 (architecture or	EPO; JPO;	
		microcontroller)) and ((embedded near3	DERWENT;	
		(processor or DSP)) or "smart card" or	IBM_TDB	l
		"credit card")) and (@ad<=19990202 or		
		@rlad<=19990202) not ((Sun adj	İ	
		Microsystems).as.)) and ((smart or Java		
		or credit or personal) adj2 card)) and		
		((Java or smart) adj card)		
-	3	16-bit near2 ((Java or smart) adj2 card)	USPAT;	2004/05/15
			US-PGPUB;	15:23
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(16-bit near2 ((Java or smart) adj2	USPAT;	2004/05/15
		card)) and (@ad<=19990202 or	US-PGPUB;	15:24
		@rlad<=19990202) not ((Sun adj	EPO; JPO;	·
		Microsystems).as.)	DERWENT;	
			IBM TDB	



Web Images Groups News Froogle New!

more » Search

Advanced Search

site:citeseer.ist.psu.edu java card and code co

The "AND" operator is unnecessary — we include all search terms by default. [details]

Web

Results 1 - 10 of about 38 from citeseer.ist.psu.edu for java card and code conversion. (0.24 seconds)

Citations: Formal proof of smart card applets correctness - Lanet This has been considered in [5]. Although it seems that conversion and optimisation, to borrow their terminology ... The Java Card set of byte codes

citeseer ist psu.edu/context/1162403/499510 - 19k - Cached - Similar pages

Citations: Sun Microsystems Inc. - Method, Revision (ResearchIndex) ... context of Signed Java Archives [3]. In this section we introduce signing of agent code in the ... Java Card: API Specification, October 1996, Sun Microsystems Inc ...

citeseer.ist.psu.edu/context/192086/0 - 29k - Cached - Similar pages

Citations: The Java Virtual Machine Specification - Lindholm The byte code verification is informally described in [8]. It consists in a static analysis of the downloaded applet ensuring that it ... the Java Card semantics. ... citeseer.ist.psu.edu/context/20581/0 - 62k - Cached - Similar pages

Reverse Compilation Techniques - Cifuentes (ResearchIndex) ... if we have an assembly code of the ... The PACAP prototype: a tool for detecting Java Card.... engineering Legacy Software through Language Conversion - Harsu (2000 ... citeseer ist psu.edu/cifuentes94reverse.html - 13k - Cached - Similar pages

Citations: A type system for Java bytecode subroutines - Stata types annotated with code locations as in [26], or with usage bit vectors as in [14] 10 Java compiler CAP converter CAP transformer On card verifier Applet ... citeseer.ist.psu.edu/context/53467/470178 - 40k - Cached - Similar pages

Citations: Book: Assigning Programs to Meanings - Abrial one of the most in depth machine checked ac counts of the Java Card platform up to date ... the B method [6], which places more emphasis on re nement to code and on ... citeseer.ist.psu.edu/context/162013/0 - 38k - Cached - Similar pages

Citations: A Type System for Object Initialization in the Java 4] As it is bytecode that is executed rather than source code, and as ... The PACAP prototype: a tool for detecting Java Card illegal flow - Bieber Cazin El (4 ... citeseer.jst.psu.edu/context/192232/147382 - 77k - Cached - Similar pages

Java [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt Java require novel software design br code as in ... extensibility and dynamic typing with automatic conversion that make ... Web and the use of Java cards to allow a ... citeseer.ist.psu.edu/Programming/Java/date.html - 101k - Cached - Similar pages

Citations: Java intermediate bytecodes - Gosling (ResearchIndex) ... by the Java Card virtual machine [22] and the Java Card runtime environment ... Java intermediate bytecodes. ... 27, 32, 33] Furthermore, the intermediate code of the ... citeseer.ist.psu.edu/context/78849/0 - 66k - Supplemental Result - Cached -Similar pages

Secure Coprocessor Integration with Kerberos V5 - Itoi HOWTO - Wheeler (2000) (Correct) 0.5: Webcard: a Java Card Web Server ... pht, lumpy - 1999 1 When java was one: Threats from hostile byte code - Ladue - 1997 1 ... citeseer ist.psu.edu/itoi00secure.html - 24k - Cached - Similar pages

Sponsored Links

Free Java Code Visit our Java Knowledge Base News, Q&As, Documents, and more java.ittoolbox.com

See your message here...

G000081c > 1234 Next


Result Page:

site:citeseer.ist.psu.edu java card an Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google ©2004 Google

http://www.google.com/search?q=site:citeseer.ist.psu.edu+java%20card%20and%20code%20conversi... 5/15/04



Web Images Groups News Froogle New!

more »

Advanced Search Preferences

site:citeseer.ist.psu.edu java card and code co

Search

Results 11 - 20 of about 38 from citeseer.ist.psu.edu for java card and code conversion. (0.16 seconds) Web

Citations: Using Secure Coprocessors - Yee (ResearchIndex)

... have developed the basic technology analysis of code using local ... and exist in PCMCIA or smart card format ... a secure coprocessor [15], allowing Java based

citeseer ist psu.edu/context/20163/90893 - 64k - Cached - Similar pages

Citations: The Jalapeno virtual machine - Alpern, Attanasio ...

... optimize the code or to wait for the code to be ... conducted these experiments in the Jikes RVM Java System [1 ... the Itsy [13] or Compaq WL100 wireless card [8] We ...

citeseer.ist.psu.edu/context/1589145/0 - 45k - May 13, 2004 - Cached -Similar pages

Citations: A comparative performance evaluation of write barrier ...

... within a heap object by mutator code executes a ... card table entry corresponding to the card containing ... On-the-fly Garbage Collector for Java - Domani, Kolodner ... citeseer ist.psu.edu/context/37015/73643 - 47k - Cached - Similar pages

Citations: A unified approach to global program optimization ...

... Java Card Virtual Machine (JCVM [3] is a stack ... A Specification of Java Loading and Bytecode Verification ... algorithms, combined with dead code elimination, will ... citeseer.ist.psu.edu/context/39916/0 - 71k - Cached - Similar pages

Citations: Language Subset and Virtual Machine Specification ...

... relation to relate the two representations of the code. ... As with Java, Java Card is compiled into bytecode, which is then ... installed on a chip on the card itself ... citeseer.ist.psu.edu/context/206738/0 - 14k - Supplemental Result - Cached -Similar pages

Citations: Multipurpose Internet Mail Extensions - Borenstein ...

... c. Usually such tools put the network card of the ... on the browser Java environment; it supports a rich ... that its agent will execute the correct code depending on ... citeseer ist.psu.edu/context/87488/0 - 33k - Cached - Similar pages

Correctness of Java Card Tokenisation - Denney (ResearchIndex)

... as a technical report [2]. 1 The Conversion Java source code is compiled on a class by class basis into the class file format. By contrast, Java Card CAP files ... citeseer.ist.psu.edu/denney99correctness.html - 20k - Supplemental Result - Cached -Similar pages

Type-Directed Continuation Allocation - Shao, Trifonov ...

... 0.3: Precision in Practice: A Type-Preserving Java Compiler - League ... 1997 39 Design and Implementation of Code Optimizations for ... 1997 18 Green card: a foreign ...

citeseer.ist.psu.edu/18490.html - 24k - Cached - Similar pages

Citations: IEEE Transactions on Software Engineering - Holzmann ...

... phase, both approaches transform their models into Promela code and verify ... A Java Reference Model of Transacted Memory for Smart Cards - Poll, Hartel ... citeseer.ist.psu.edu/context/62061/0 - 68k - Cached - Similar pages

Citations: Public International benchmarks for parallel computers ...

... An evaluation of Java implementations of message-passing - Stankovic ... by DESY Zeuthen [8] This card provides a ... and scheduling overheads in their code by

http://www.google.com/search?q=site:citeseer.ist.psu.edu+java+card+and+code+conversion&hl=en&l... 5/15/04

Sponsored Links

Free Java Code Visit our Java Knowledge Base News, Q&As, Documents, and more java.ittoolbox.com

See your message here...

Google Search: site:citeseer.ist.psu java card and code conversion counting ... citeseer.ist.psu.edu/context/13060/8978 - 37k - Cached - Similar pages



Result Page: Previous 1 2 3 4 Next

site:citeseer.ist.psu.edu java card an Search

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google



Web <u>Images Groups News Froogle^{New!}</u>

more »

Advanced Search

bytecode verification and java card and convei Search

The "AND" operator is unnecessary - we include all search terms by default. [details]

Web

Results 1 - 10 of about 2,420 for bytecode verification and java card and conversion. (0.25 seconds)

[PPT] Bytecode Verification on Java Smart cards

File Format: Microsoft Powerpoint 97 - View as HTML

Bytecode Verification on Java Smart cards. ... Using a std Java Compiler and Java Card

Converter (for Off ... card code Transformation) and pass it to on card verifier. ... www.cis.ksu.edu/~tamtoft/890Sec/ Presentations/Leroyll.ppt - Similar pages

An Introduction to Java Card Technology - Part 2, The Java Card ...

... Conversion entails transforming each Java package into a ... Verification is an optional process to validate the CAP file for structure, valid bytecode subset, and ...

developers.sun.com/lechtopics/mobility/ javacard/articles/javacard2/ - 62k - Cached - Similar pages

[PDF] Bytecode verification on Java smart cards

File Format: PDF/Adobe Acrobat - View as HTML

... to appear in Software Practice & Experience, 2002 Abstract This article presents a novel approach to the problem of **bytecode verification** for **Java Card** applets ...

pauillac inria fr/~xleroy/publi/ oncard-verifier-spe.pdf - Similar pages

<u>javacards</u>

... off-card was that it has been conventional wisdom that on-card type checking ... Xavier Leroy has published a paper "Bytecode verification on Java smart cards ... securitylab.cis upenn.edu/opem/javacards.htm - 12k - Cached - Similar pages

VerifiCard Tools

... It includes algorithms for **bytecode verification** and for ... of the **Java Card** platform at **bytecode** level. ... specifications of the defensive **Java Card** Virtual Machine ... www.cs.kun.nl/VerifiCard/files/formalisations.html - 3k - <u>Cached</u> - <u>Similar pages</u>

VerifiCard Final Report (Executive Summary)

... most comprehensive formalisation of the Java Card platform to ... certified tools, notably algorithms for bytecode verification and cap conversion, that have ... www.cs.kun.ni/VerifiCard/files/finalsummary.html - 7k - Cached - Similar pages

[More results from www.cs.kun.nl]

FACADE

... 9 ROSE, E. Towards Secure Bytecode Verification on a Java Card. Master's

thesis, University of Copenhagen, Sept. 1998. [http://www ...

portal.acm.org/ citation.cfm?id=319265&di=ACM&coll=portal&CFID=111111114&CFTOKEN=2222222 - Similar pages

AB model for ensuring soundness of a large subset of the java card ...

... Denney , Thomas P. Jensen, Correctness of Java Card Method Lookup ... 8] SN Freund, JC Mitchell, Specification and verification of Java bytecode subroutines and ...

portal.acm.org/ citation.cfm?id=641874&dl=ACM&coli=portal&CFID=111111111&CFTOKEN=2222222 - Similar pages

[More results from portal.acm.org]

[РРТ] Aucun titre de diapositive

File Format: Microsoft Powerpoint 97 - View as HTML

... Ensures that the Java Card typing rules are enforced. Byte code verifier utilities. ... packages already present in the card. ... Agenda. Bytecode Verification issues. ...

www.toria.fr/~cansell/gsl/Formal_dev_Verifier_28-02-02.ppt - Cimilar pages

[PDF] Practical Java Card bytecode compression

Google Search: bytecode verification and java card and conversion

File Format: PDF/Adobe Acrobat - View as HTML ... 10. S TRK , RF, AND S CHMID , J. Java bytecode verification is not possible. 11. S UN M ICROSYSTEMS . Java Card 2.11 virtual machine specification, may 2000. ... www.lifl.fr/RD2P/JITS/CAPCompress.pdf - Similar pages

Goooooooogle ▶

Result Page: 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

Next

bytecode verification and java card a Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

Citations

Searching for wilkinson and krishna and java card.

Restrict to: <u>Header Title</u> Order by: <u>Expected citations Hubs Usage Date Try: Amazon B&N Google (RI)</u> Google (Web) CSB DBLP

No documents match Boolean query. Trying non-Boolean relevance query.

1000 documents found. Only retrieving 500 documents (System busy - maximum reduced). Retrieving documents... Order: relevance to query.

Memory Design - Csci Itcs Review (Correct)

Barry Wilkinson 2001. All rights reserved. Page 171 This

www.coe.uncc.edu/~abw/lTCS5141/mem.pdf

A Comparis7 of Standard Multi-UnitAuctions withSynergies - Gian-Luigiaianfabrizio... (Correct) ascending auction within the framework of Krishna and Rosenthal (1996) and therefore emphasize the www.core.uci.ac.be/services/psfiles/dp9952.pdf

Finite Element Analysis Of Plastic - Bending Of Cold-Formed (Correct)

Beams Research Report No R792 October 1999 Tim Wilkinson Bsc Be Ma Gregory J. Hancock Bsc Be Phd The www.civil.usyd.edu.au/people/wilko/papers/R792_Research_ABAQUS_btests.pdf

Pickling State in the Java System - Riggs, Waldo, al. (1996) (Correct) (28 citations) System Roger Riggs, Jim Waldo, Ann Wollrath, Krishna Bharat JavaSoft (Roger.Riggs, Jim.Waldo,

URL: www.usenix.org Pickling State in the Java(tm) System Roger Riggs, Jim Waldo, and Ann www.tns.lcs.mit.edu/~djw/iibrary/coots96-riggs.ps.gz

On Isospectral Sets of Jacobi Operators - Gesztesy, Krishna, Teschl (Correct) [21] F. Gesztesy, M. Krishna, and G. Teschl, On isospectral sets of Jacobi mpej.unige.ch/mp_arc/c/96/96-1.ps.gz

The Mechanics of Structures and Materials, Proceedings. - Mechanics Of Structures (Correct) with tests of cold-formed RHS portal frames T. Wilkinson &G. J. Hancock Centre for Advanced Structural www.civit.usyd.edu.au/people/wilko/papers/ACMSM16_Frame_Paper.pdf

The Layered Agent Pattern Language - Kendall, Pathak, Krishna, Suresh (1997) (Correct) (3 citations) Kendall, Pathak, Murali Krishna and Suresh, The Layered Agent Pattern reoccurring problems and solutions at RMIT in the Java Application Framework for Intelligent and Mobile www.labs.bt.com/projects/ibsr/papers/patterns/plop97.ps.gz

Mechanisms and Interfaces for Software-Extended Coherent Shared...- Chaiken (1994) (Gorrect) (3 citations) ftp.cag.lcs.mit.edu/pub/papers/chaiken-dissert-1-10.ps.Z.

The BeanChannel: Java distributed event model - Kleindienst (Correct) The BeanChannel: Java distributed event model Ph.D. Thesis Jan nenya.ms.mff.cuni.cz/thegroup/phd/phd1006.ps.gz

Intelligent Computing About Complex Dynamical Systems - Zhao (1994) (Correct) new insights into behaviors of a heart model in cardiology [9] and designed a highperformance www.cis.ohio-state.edu/insight/papers/mcs.ps

Tests Of Cold-Formed - Rectangular Hollow Section (Correct)

Frames Research Report No R783 July 1999 Tim Wilkinson Bsc Be Ma Gregory J. Hancock Bsc Be Phd The www.civil.usyd.edu.au/people/wilko/papers/R783_Research_frame_tests.pdf

Toward Assessing Approaches to Persistence for Java - John Ridgway (1997) (Correct) (3 citations) Toward Assessing Approaches to Persistence for Java TM John V. E. Ridgway Craig Thrall Jack C. ftp.cs.umass.edu/pub/techrept/techreport/1997/UM-CS-1997-063.ps

A Prototype of FORTRAN-to-Java Converter - Fox, Li, Qiang, Zhigang (1997) (Correct) (4 citations) A Prototype of FORTRANtoJava Converter Geoffrey Fox, Xiaoming Li \Lambda NPAC www.npac.syr.edu/projects/javaforcse/acmspecissue/finalps/4_fox.ps

Tubular Structures VIII, Proceedings, 8th International.. - Balkema Publ Choo (Correct)

wilkinson and krishna and java carda Research Index document query 8 ISTS-98 Paper No. 48 Wilkinson & Hancock, Tests of Stiffened and Unstiffened

www.civil.usyd.edu.au/people/wilko/papers/ISTS8 Welded Paper.pdf

Wilkinson T. and Hancock G. J., (1999), "Predictions of. - Advances In Steel (Correct) Wilkinson T. and Hancock G. J.1999) Predictions of www.civil.usyd.edu.au/people/wilko/papers/ICASS99_Abagus_Paper.pdf

Learning Planning Operators by Observation and Practice - Wang (1994) (Correct) (12 citations) www.rpal.rockwell.com/~mei/alps94.ps

Formalising Abilities and Opportunities of Agents - van Linder, van der Hoek, Meyer (1998) (Correct) (2 citations) ftp.cs.uu.nl/pub/RUU/CS/techreps/CS-1998/1998-08.ps.gz

An evaluation of the Java Card environment - Rippert, Hagimont (Correct) An evaluation of the Java Card environment Christophe Rippert Daniel have conducted to evaluate the suitability of Java cards for advanced applications. We developed a a resource-consuming application in a Java card using only the speci ed Java Card environment, and sardes.innalpes.fr/papers/files/01-Rippert-MMC.ps.gz

Development, Learning and Evolution in Animats - Kodjabachian, Meyer (1994) (Correct) (2 citations) www.biologie.ens.fr/fr/animatlab/perso/kodjaba/jkjamperac.ps.gz

An Object Calculus with Algebraic Rewriting - Compagnoni, Fernández (Conset) Abstract. In trying to use Abadi and Cardelli's object calculi as a foun dation for a calculi Type systems. 1 Introduction Abadi and Cardelli [2] presented a simple object calculus, the and unnatural. To overcome this, Abadi and Cardelli [1] introduced in the typed &calculus free www.ens.fr/~maribel/papers/PLILP97.ps.gz

First 20 documents Next 20

Try your query at: Amazon Barnes & Noble Google (RI) Google (Web) CSB DBLP CiteSeer.IST - Copyright NEC and IST

CiteSeer Find: Tim Wilkinson and Java Card

Documents

Citations

Searching for tim wilkinson and java card.

Restrict to: <u>Header Title</u> Order by: <u>Expected citations Hubs Usage Date</u> Try: <u>Amazon B&N Google (RI)</u> Google (Web) CSB DBLP

No documents match Boolean query. Trying non-Boolean relevance query.

1000 documents found. Only retrieving 500 documents (System busy - maximum reduced). Retrieving documents... Order: relevance to query.

A Semi Formal Model of Java Card 2.1 in UML - Carre, Martin, Vandewalle (1999) (Correct) to load and install several applets on a card at any time, even after it is delivered. Thus each applet to A Semi Formal Model of Java Card 2.1 in UML Olivier Carre, Hugues Martin, paper presents a part of a UML model of the Java Card 2.1 specification that describes the security www.gemplus.com/smart/r_d/publications/download/GDCpaper.pdf

Developing Smart Card-Based Applications Using Java Card - Vandewalle, Vétillard (1998) (Correct) (1 citation) with protocol issues, and allows them to spend more time on the application's core functionality. To Developing Smart Card-Based Applications Using Java Card Jean-Jacques Vandewalle and Eric www.gemplus.fr/smart/r_d/publications/download/cardis/cardis0998-javacard-paper.ps.gz

Towards Secure Bytecode Verification on a Java Card - Rose (1998) (Correct) (2 citations) often than not because of the overwhelming number of times the sys tem interrupts the user with yet Towards Secure Bytecode Verification on a Java Card Eva Rose 1 DIKU, University of Copenhagen www.ens-lyon.fr/~evarose/speciale.ps.gz

A Tangled Web of Deceit - Andy Whitcroft (Correct)

Group Computer Science Department City University Tim Wilkinson Systems Architecture Research Centre Computer Science Department City University Tim Wilkinson Systems Architecture Research Centre City ftp.soi.city.ac.uk/papers/94/cs94-4.ps

Formal Model and Implementation of the Java Card Dynamic Security. - Motre (1999) (Correct) Then, the model is refined by stretching the time progressively. At each level, new operations Sm-99-09 Formal Model And Implementation Of The Java Card Dynamic Security Policy Stephanie Motre Formal Model And Implementation Of The Java Card Dynamic Security Policy Stephanie Motre Gemplus www.gemplus.com/smart/r_d/publications/download/Afadl2.pdf

Formalisation of the Java Card Runtime Environment and API - Author Date Number (Correct) Formalisation of the Java Card Runtime Environment and API Author Date Number www.doc.ic.ac.uk/~siveroni/secsale/docs/SECSAFE-ICSTM-006.pdf

Compiling for a 64-Bit Single Address Space Architecture - Tim Wilkinson (1993) (Correct) (7 citations) for a 64Bit Single Address Space Architecture Tim Wilkinson#Ashley Saulsbury#Tom Stiemerling#and a 64Bit Single Address Space Architecture Tim Wilkinson#Ashley Saulsbury#Tom Stiemerling#and Kevin ftp.soi.city.ac.uk/papers/93/sarc93-1.ps.Z

Does Java Have Alternatives? - Franz, Kistler (Correct)

Although our software distribution format and runtime architecture are fundamentally different from Does Java Have Alternatives? Michael Franz and Thomas www.ics.uci.edu/~kistler/css97.ps

Note That the Page Layout and - Numbering May Be (Correct)

Behaviour Of Cold-Formed Rectangular Hollow Sections Tim Wilkinson Thesis Presented For The Degree Of Of Cold-Formed Rectangular Hollow Sections Tim Wilkinson Thesis Presented For The Degree Of Doctor Of www.civil.usyd.edu.au/people/wilko/thesis/thesis.pdf

Using test hypotheses to build a UML model of object-oriented...- Martin (1999) (Correct) flexibility for card applications and to reduce time to market. Most notable efforts towards such Abstract, Using test to validate conformance of Java Card applications needs to take into account to build a UML model of object-oriented smart card applications Hugues MARTIN Gemplus Research Lab. www.gemplus.com/smart/r d/publications/download/ICSSEA99.pdf

A Formal Specification of the Java Card Firewall - Siveroni, Jensen, Eluard (2001) (Correct) (1 citation) and Marc Eluard. A Formal Specification of the Java Card Firewall. In Hanne Riis Nielson, editor,

and Marc Eluard. A Formal Specification of the **Java Card** Firewall. In Hanne Riis Nielson, editor, Proc. of IMM-TR-2001-14. A Formal Specification of the **Java Card** Firewall Igor Siveroni, Thomas Jensen, Marc Eluard www.doc.ic.ac.uk/~siveroni/secsale/docs/secsale-icstm-003.ps

Tests To Examine Plastic Behavior Of Knee Joints In - Cold-Formed Rhs By (Correct)

Behavior Of Knee Joints In Cold-Formed Rhs By Tim Wilkinson 1 And Gregory J. Hancock 2 Abstract:

Of Knee Joints In Cold-Formed Rhs By Tim Wilkinson 1 And Gregory J. Hancock 2 Abstract: This www.civil.usyd.edu.au/people/wilko/papers/ASCE_joints_paper.pdf

Extensible, flexible and secure services in Angel, a single...-Wilkinson, Murray (1994) (Correct) in Angel, a single address space operating system Tim Wilkinson and Kevin Murray Systems Architecture a single address space operating system Tim Wilkinson and Kevin Murray Systems Architecture Research ftp.soi.city.ac.uk/papers/95/sarc95-2.ps

Python and Java: The Best of Both Worlds - Hugunin (1997) (Correct) (5 citations) language built on top of the Java language and runtime environment. This is in contrast to the existing A free virtual machine to run Java code Tim Wilkinson www.kaffe.org.

Python and Java: The Best of Both Worlds Jim Hugunin Corporation sunsite.informatik.rwth-aachen.de/python/workshops/1997-10/proceedings/hugunin.ps

Java Card or How to Cope with the New Security Issues Raised. - Girard, Lanet (1999) (Correct)

- 5. Pierre Girard, Jean-Louis Lanet. Java Card or How to Cope with the new Security Issues
- 5. Pierre Girard, Jean-Louis Lanet. **Java Card** or How to Cope with the new Security Issues raised to Cope with the new Security Issues raised by Open **Cards** ?In GDC 99, Paris, June 1999. **Java Card** or How www.gempius.com/smart/r_d/publications/download/GDC99.pdf

Javacard - Ruuskanen (Correct)
Javacard Juha-Pekka Ruuskanen
www.cs.helsinki.ii/u/campa/teaching/ruuskanen-final.pdf

Single Address Space Operating Systems - Wilkinson, Murray, Russell.. (1995) (Correct) (2 citations) Single Address Space Operating Systems Tim Wilkinson 1 Kevin Murray 1 Stephen Russell 2 Single Address Space Operating Systems Tim Wilkinson 1 Kevin Murray 1 Stephen Russell 2 Gernot ftp.cse.unsw.edu.au/pub/doc/papers/UNSW/9504.ps.Z

Context Inference for Static Analysis of Java Card Object...- Caromel, Henrio, Serpette (2001) (Correct) (2 citations)
Those forms of analysis require sophisticated and time consuming algorithms, which can make them rather
Context Inference for Static Analysis of Java Card Object Sharing Denis Caromel, Ludovic Henrio,
Context Inference for Static Analysis of Java Card Object Sharing Denis Caromel, Ludovic Henrio,
www-sop.inria.fr/oasis/personnel/Ludovic.Henrio/JavaCardSharingAnalysis.ps.gz

<u>Using Java for the Coordination of Workflows in the World Wide.. - Weber, Illmann (Correct)</u> as its basic technologies. **Java** is used as the build **time** (modeling) language to define workflows as well Using **Java** for the Coordination of Workflows in the World www-vs.informatik.uni-ulm.de/Papers/interaktion/interaktion.ps

An Operational Semantics of the Java Card Firewall - Eluard, Jensen, Denney (2001) (Correct) INT:invokestatic getASIO T 1 T 2 3.3 The run-time state This section defines the run-time values An Operational Semantics of the Java Card Firewall Marc Eluard 1 ThomasJensen 1 An Operational Semantics of the Java Card Firewall Marc Eluard 1 ThomasJensen 1 and www.dai.ed.ac.uk/daidb/people/homes/ewd/papers/esmart2001.pdf

Documents 21 to 40 Previous 20 Next 20

Try your query at: <u>Amazon Barnes & Noble Google (RI) Google (Web) CSB DBLP</u>

CiteSeer.IST - Copyright NEC and IST



CiteSeer Find: Scott Guthery and Java Card

Documents

Citations

Searching for scott guthery and java card.

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Amazon B&N Google (RI)

Google (Web) CSB DBLP

No documents match Boolean query. Trying non-Boolean relevance query.

1000 documents found. Only retrieving 500 documents (System busy - maximum reduced). Retrieving documents... Order: relevance to query.

How to Turn a GSM SIM into a Web Server - Projecting ... - Guthery, Kehr, Posegga (Correct) Projecting Mobile Trust onto the World Wide Web Scott Guthery, Roger Kehr, Joachim Posegga Scott Mobile Trust onto the World Wide Web Scott Guthery, Roger Kehr, Joachim Posegga Scott Guthery, a Schlumberger Simera SIM. The applet is written in Java, its size is currently about 7K bytes of Java byte www.teco.edu/~posegga/papers/WebSIM_Cards_Submission.pdf

GSM SIMs as Web Servers - Guthery, Kehr, Posegga, Vogt (2000) (Correct)

Athens, Greece, Feb. 2000. Gsm Sims As Web Servers Scott Guthery, Roger Kehr, Joachim Posegga, Harald Vog [6] S. Guthery, R. Kehr, J. Posegga, And H. Vogt. Gsm Sims As

www.iti.informatik.th-darmstadt.de/~kehr/publications/websim-isn2000.pdf

The WebSIM - Clever Smartcards Listen to Port 80 - Guthery, Posegga (1999) (Correct) The WebSIM -Clever Smartcards Listen to Port 80 Scott Guthery, Joachim Posegg

WebSIM -Clever Smartcards Listen to Port 80 Scott Guthery, Joachim Posegg

www.scdk.com/websim.pdf

Secure Internet Smartcards - Itoi, Fukuzawa, Honeyman (Correct)

ISO 7816-3 (Internet Draft)February 2000. 9] Scott B. Guthery and Timothy M. Jurgensen. Smart Card terminology are advised to consult the book by Guthery and Jurgensen [9]2 Itoi, Fukuzawa, and part due to the exibility and programmability of JavaCards. Researchers are beginning to communicate www.citi.umich.edu/techreports/reports/citi-tr-00-6.ps.gz

A Model for Transparent Distribution using Java - Milton (1997) (Correct)

A Model for Transparent Distribution using Java Scott Milton Department of Computer Science Australian A Model for Transparent Distribution using Java Scott Milton Department of Computer Science www.sd.monash.edu.au/research/publications/1997/TR97-14.ps

The BeanChannel: Java distributed event model - Kleindienst (Correct) The BeanChannel: Java distributed event model Ph.D. Thesis Jan

nenya.ms.mff.cuni.cz/thegroup/phd/phd1006.ps.gz

Toward Assessing Approaches to Persistence for Java - John Ridgway (1997) (Correct) (3 citations) Toward Assessing Approaches to Persistence for Java TM John V. E. Ridgway Craig Thrall Jack C. ftp.cs.umass.edu/pub/techrept/techreport/1997/UM-CS-1997-063.ps

SCFS: A UNIX Filesystem for Smartcards - Naomaru Itoi (1999) (Correct)

www.mastercard.com/ emv/emvspecs02.html. 6] Scott B. Guthery and Timothy M. Ju rgensen. Smart Card of `CLA'and `application class'please see Guthery and Jurgensen [6] or ISO7816 [9] ffl Onchip [6] or ISO7816 [9] ffl Onchip software standards. JavaCard [14] and MULTOS [15]Although these standards www.citi.umich.edu/techreports/reports/citi-tr-98-8.ps.gz

A Prototype of FORTRAN-to-Java Converter - Fox. Li. Qiang, Zhigang (1997) (Correct) (4 citations) A Prototype of FORTRANtoJava Converter Geoffrey Fox, Xiaoming Li \Lambda NPAC www.npac.syr.edu/projects/javaforcse/acmspecissue/finalps/4_fox.ps

An evaluation of the Java Card environment - Rippert, Hagimont (Correct)

An evaluation of the Java Card environment Christophe Rippert Daniel have conducted to evaluate the suitability of Java cards for advanced applications. We developed a a resource-consuming application in a Java card using only the speci ed Java Card environment, and sardes initialpes fr/papers/files/01-Rippert-MMC.ps.gz

A Semi Formal Model of Java Card 2.1 in UML - Carre, Martin, Vandewalle (1999) (Correct) A Semi Formal Model of Java Card 2.1 in UML Olivier Carre, Hugues Martin, paper presents a part of a UML model of the Java Card 2.1 specification that describes the security scott guthery and java card - Research Index document query

notation for the security mechanisms of Java Card. 1 Introduction Due to an important number of www.gemplus.com/smart/r_d/publications/download/GDCpaper.pdf

Developing Smart Card-Based Applications Using Java Card - Vandewalle, Vétillard (1998) (Correct) (1 citation)
9. Guthery, S. B. and Jurgensen, T. M.Eds. Smart Card
Developing Smart Card-Based Applications Using Java Card Jean-Jacques Vandewalle and Eric www.gemplus.fr/smart/r_d/publications/download/cardis/cardis/0998-javacard-paper.ps.gz

Towards Secure Bytecode Verification on a Java Card - Rose (1998) (Correct) (2 citations)
Towards Secure Bytecode Verification on a Java Card Eva Rose 1 DIKU, University of Copenhagen www.ens-lyon.fr/~evarose/speciale.ps.gz

Formal Model and Implementation of the Java Card Dynamic Security...- Motre (1999) (Correct)
Sm-99-09 Formal Model And Implementation Of The Java Card Dynamic Security Policy Stephanie Motre Formal Model And Implementation Of The Java Card Dynamic Security Policy Stephanie Motre Gemplus Formal Model and Implementation of the Java Card Dynamic Security Policy Stephanie Motr Gemplus www.gemplus.com/smart/r_d/publications/download/Afadl2.pdf

Formalisation of the Java Card Runtime Environment and API - Author Date Number (Correct)
Formalisation of the Java Card Runtime Environment and API Author Date Number www.doc.ic.ac.uk/~siveroni/secsafe/docs/SECSAFE-ICSTM-006.pdf

A Comparison of Multithreading Implementations - Scott Taylor (1998) (Correct) (1 citation)

A Comparison of Multithreading Implementations Scott R. Taylor #Diane J. Cook #Krishna M. Kavi , dramatically better than either a POSIX threads or Java threads implementation. In comparing these mutex uta.edu/~srtaylor/ciik/yale_publication.ps

<u>Does Java Have Alternatives? - Franz, Kistler (Correct)</u>
Does **Java Have Alternatives? Michael Franz and Thomas**www.ics.uci.edu/~kistler/css97.ps

<u>Using test hypotheses to build a UML model of object-oriented...- Martin (1999) (Correct)</u>
Abstract. Using test to validate conformance of **Java Card** applications needs to take into account to build a UML model of object-oriented smart **card** applications Hugues MARTIN Gemplus Research Lab. Using test to validate conformance of **Java Card** applications needs to take into account www.gemplus.com/smart/r_d/publications/download/iCSSEA99.pdf

A Formal Specification of the Java Card Firewall - Siveroni, Jensen, Eluard (2001) (Correct) (1 citation) and Marc Eluard. A Formal Specification of the Java Card Firewall. In Hanne Riis Nielson, editor, and Marc Eluard. A Formal Specification of the Java Card Firewall. In Hanne Riis Nielson, editor, Proc. of IMM-TR-2001-14. A Formal Specification of the Java Card Firewall Igor Siveroni, Thomas Jensen, Marc Eluard www.doc.ic.ac.uk/~siveroni/secsafe/docs/secsafe-icstm-003.ps

Python and Java: The Best of Both Worlds - Hugunin (1997) (Correct) (5 citations)
Python and Java: The Best of Both Worlds Jim Hugunin Corporation
sunsite.informatik.rwth-aachen.de/python/workshops/1997-10/proceedings/hugunin.ps

First 20 documents Next 20

Try your query at: <u>Amazon Barnes & Noble Google (RI) Google (Web) CSB DBLP</u>

CiteSeer.IST - Copyright <u>NEC</u> and <u>IST</u>

CiteSeel Find: Scott Guthery and Java Card and Inte

Documents

Citations

Searching for scott guthery and java card and internet computing.

Restrict to: <u>Header Title</u> Order by: <u>Expected citations Hubs Usage Date Try: Amazon B&N Google (RI) Google (Web) CSB DBLP</u>

No documents match Boolean query, Trying non-Boolean relevance query.

1000 documents found. Only retrieving 500 documents (System busy - maximum reduced). Retrieving documents... Order: relevance to query.

How to Turn a GSM SIM into a Web Server - Projecting.. - Guthery, Kehr, Posegga (Correct) Projecting Mobile Trust onto the World Wide Web Scott Guthery, Roger Kehr, Joachim Posegga Scott Mobile Trust onto the World Wide Web Scott Guthery, Roger Kehr, Joachim Posegga Scott Guthery, a Schlumberger Simera SIM. The applet is written in Java, its size is currently about 7K bytes of Java byte www.teco.edu/~posegga/papers/WebSIM Cards Submission.pdf

GSM SIMs as Web Servers - Guthery, Kehr, Posegga, Vogt (2000) (Correct)

Athens, Greece, Feb. 2000. Gsm Sims As Web Servers Scott Guthery, Roger Kehr, Joachim Posegga, Harald Vog [6] S. Guthery, R. Kehr, J. Posegga, And H. Vogt. Gsm Sims As

www.iti.informatik.th-darmstadt.de/-kehr/publications/websim-isn2000.pdf

SuperWeb; Research Issues in Java-Based Global Computing - Alexandrov, Ibel., (1996) (Correct) (37 citations)

SuperWeb: Research Issues in JavaBased Global Computing Albert D. Alexandrov,

Abstract The Internet, in particular the WorldWideWeb, continues to

SuperWeb: Research Issues in JavaBased Global Computing Albert D. Alexandrov, Maximilian Ibel, Klaus E.

www.cs.ucsb.edu/~berto/papers/97-journal-superweb.ps

Java Access to Numerical Libraries - Casanova (1997) (Correct) (24 citations)

Java Access to Numerical Libraries Henri Casanova

Numerical Libraries Computational Servers, Internetcomputing, Compilers, Software Repositories Java will always be 'too slow'for scientific computing. Two projects underway at the University of www.cs.utk.edu/~nsadmin/NetSolve/papers/LasVegaspaper.ps

Developing Smart Card-Based Applications Using Java Card - Vandewalle, Vétillard (1998) (Correct) (1 citation) 9. Guthery, S. B.and Jurgensen, T. M.Eds. Smart Card Developing Smart Card-Based Applications Using Java Card Jean-Jacques Vandewalle and Eric

www.gemplus.fr/smart/r_d/publications/download/cardis/cardis0998-javacard-paper.ps.gz

Intelligent Computing About Complex Dynamical Systems - Zhao (1994) (Correct) new insights into behaviors of a heart model in cardiology [9] and designed a highperformance Intelligent Computing About Complex Dynamical Systems (appeared in Dynamical Systems (appeared in Mathematics and Computers in Simulation, 36:423432, Elsevier, 1994) www.cis.ohio-state.edu/insight/papers/mcs.ps

Using PVM 3.0 to Run Grand Challenge Applications on. - Dongarra, Geist. (1992) (Correct) on another (possibly parallel) computer out on Internet. PVM determines the message will not stay within on a Heterogeneous Network of Parallel Computers \Lambda Jack Dongarra Oak Ridge National as though they constitute one large parallel computer. We describe how multiprocessor integration is ftp.netlib.org/ncwn/siam93-pvmgc.ps

The WebSIM - Clever Smartcards Listen to Port 80 - Guthery, Posegga (1999) (Correct) The WebSIM -Clever Smartcards Listen to Port 80 Scott Guthery, Joachim Posegg WebSIM -Clever Smartcards Listen to Port 80 Scott Guthery, Joachim Posegg www.scdk.com/websim.pdf

Adaptive Scheduling with Client Resources to Improve WWW. - Andresen, Yang (1996) (Correct) the ability to download executable content (e.g. Java)it becomes logical to think of transferring part fdandrese, tyangg@cs.ucsb.edu Abstract WWWbased Internet information service has grown enormously during Daniel Andresen and Tao Yang Department of Computer Science University of California Santa Barbara, www.cs.ucsb.edu/TRs/techreports/TRCS96-27.ps

Robust State Sharing for Wide Area Distributed Applications - Topol, Ahamad, Stasko (1998) (Correct) (8 citations) activities. Prominent examples include the Java programming language and Java capable Web of a new generation of tools tailored to Internet computing activities. Prominent examples include

scott guthery and java card and internet computing - ResearchIndex document query

In this article, we present the Mocha wide area computing infrastructure we are culturally developing. www.gvu.gatech.edu/gvu/people/student/./Brad.Topol/replica.ps.Z

Experiments with "HPJava" - Carpenter, Chang, Fox, Leskiw, Li (1997) (Correct) (7 citations)

Numerics Conference, 1993. 12] Stephen J. Fink and **Scott** B. Baden. The KeLP User's Guide. University of 18, 1997 Abstract We consider the possible role of **Java** as a language for High Perfor mance **Computing**.

www.npac.syr.edu/projects/javaforcse/cpande/suhpjava.ps

Java Card or How to Cope with the New Security Issues Raised.. - Girard, Lanet (1999) (Correct)

- 5. Pierre Girard, Jean-Louis Lanet. Java Card or How to Cope with the new Security Issues
- 5. Pierre Girard, Jean-Louis Lanet. Java Card or How to Cope with the new Security Issues raised www.gemplus.com/smart/r d/publications/download/GDC99.pdf

A Hypertext System for Integrating Heterogeneous, Autonomous...- Noll, Scacchi (1994) (Correct) (2 citations) software systems and related documents over the Internet. Consider the following two examples. will be highly autonomous, man aging its own computing environment and tools. Thus, there will be no of related software objects across autonomous computing environments, as well as heterogeneous cwis.usc.edu/dept/ATRIUM/Papers/Integrating_Software_Repositories.ps

Correction of a Memory Management Method for Lock-Free Data.. - Michael, Scott (1995) (Correct) (5 citations)
Data Structures \Lambda Maged M. Michael Michael L. Scott Department of Computer Science University of
Maged M. Michael Michael L. Scott Department of Computer Science University of Rochester Rochester, NY
Science and Technology-High Performance Computing, Software Science and Technology program, ARPA
hypatia.dcs.qmw.ac.uk/data/edu/cs.rochester.edu/systems/95.tr599.Memory_management_for_lockfree_data_structures.ps.gz

The Case For Reliable Concurrent Multicasting Using...-Levine, Lavo.. (1996) (Correct) (32 citations) hop node for receiver R. Let jl(x)j denote the cardinality of the label of node x, i.e.the number of that concurrent reliable multicast ing over the Internet should be based on reliable multicast proto fbrian, lavo, jjg@cse.ucsc.edu Department of Computer Engineering University of California Santa www.cse.ucsc.edu/research/ccrg/publications/brian.mm96.ps.gz

Practical Java Card bytecode compression - Bizzotto, Grimaud (2002) (Correct) www.lifl.fr/grimaud/ Practical Java Card bytecode compression Gabriel Bizzotto, Gilles www.lifl.fr/grimaud/ Practical Java Card bytecode compression Gabriel Bizzotto, Gilles www.lifl.fr/grimaud/Publis/BG02comp.pdf

Secure Internet Smartcards - Itoi, Fukuzawa, Honeyman (Correct)

ISO 7816-3 (Internet Draft)February 2000. 9] Scott B. Guthery and Timothy M. Jurgensen. Smart Card terminology are advised to consult the book by Guthery and Jurgensen [9]2 Itoi, Fukuzawa, and part due to the exibility and programmability of JavaCards. Researchers are beginning to communicate www.citi.umich.edu/techreports/reports/citi-tr-00-6.ps.gz

Does Java Have Alternatives? - Franz, Kistler (Correct)

Does Java Have Alternatives? Michael Franz and Thomas

for portable software distributed across the Internet seems virtually unassailable. Interestingly and Thomas Kistler Department of Information and Computer Science University of California Irvine, CA www.ics.uci.edu/~kistler/css97.ps

Effective Compiler Support for Predicated Execution ... - Mahlke, Lin, Chen, ... (1992) (Correct) (109 citations) for Predicated Execution Using the Hyperblock Scott A. Mahlke David C. Lin \Lambda William Y. Chen to a VLIW instruction as in Cydra 5. cardit.et.tudelft.nl/steven/ilp/mahlke92.ps.gz

Center for Reliable and HighPerformance Computing University of Illinois UrbanaChampaign, IL cardit.et.tudelft.nl/~steven/ilp/mahlke92.ps.gz

Lessons learned on implementing ECDSA on a Java smart card - Elo (2000) (Correct)

1 Lessons learned on implementing ECDSA on a Java smart card Tommi Elo Department of Computer www.tml.hut.fi/Research/TeSSA/Papers/Elo/Elo_Nordsec2000.pdf

First 20 documents Next 20

Try your query at: Amazon Barnes & Noble Google (RI) Google (Web) CSB DBLP

CiteSeer.IST - Copyright NEC and IST